

Product Data

Industrial Coating for the Protection of Surfaces Subject to Erosion-Corrosion

Belzona® 1321 (Ceramic S-Metal) is a two-component high strength coating for the protection of metal surfaces subject to erosion-corrosion. This Belzona product is designed to operate under continuous immersion at temperatures up to 140°F (60°C)

Belzona® 1321 (Ceramic S-Metal) will:


- Simplify maintenance procedures
- Reduce the need for spare parts
- Protect against erosion-corrosion
- Extend equipment life

Belzona® 1321 (Ceramic S-Metal) can be applied without the need for specialist tools and will bond tenaciously to a wide range of substrates. This multipurpose polymeric coating will not corrode and has outstanding resistance to a wide range of chemicals.


This product can also be used as an injection material for the shimming and bonding of components, or as a high strength structural gap filler.

Belzona® 1321


Ceramic S-Metal



Heat Exchangers



Separators



Impellers



Water Box Ends

Applications for Belzona® 1321 (Ceramic S-Metal) include:

- Centrifugal pumps
- Valves
- Vacuum pumps
- Process vessels
- Gas scrubbers
- Heat exchangers
- Impellers
- Flange faces
- Pipe elbows
- T- pieces

www.belzona.com

Belzona® provides the solution to your repair and maintenance needs.


BELZONA®
Repair • Protect • Improve

Belzona® 1321 (Ceramic S-Metal) is:

Belzona® 1321

Ceramic S-Metal

Simple

- No special tools required.
- Can be applied by brush, applicator, or injection gun
- Mix and use only what is needed

Safe


- Cold temperature cure ensures no fire risk
- Excellent electrical insulating characteristics
- Solvent free
- Suitable for contact with potable water

Versatile

- No shrinkage, expansion, or distortion
- Bonds tenaciously to almost any rigid surface including steel, aluminium, copper, brass, and glass reinforced plastics.

Effective

- Excellent resistance to abrasion and erosion-corrosion
- Outstanding chemical resistance
- High compressive strength
- Does not corrode




Flange Faces



Certificate No.
95-HU9719



For more information, please contact your local Belzona representative.



QUALITY PRODUCTS - TECHNICAL SUPPORT

The Belzona product range is manufactured through stringent quality and environmental control guidelines complying with the internationally recognized requirements of **ISO 9001:2000** and **ISO 14001:2004**. Belzona has a global distribution network of over 140 Distributors operating in 120 countries. Local support is provided by trained Technical Consultants who will diagnose the problem, recommend the solution, and provide 24-hour on-site application supervision.

Copyright© 2008 by Belzona International, Ltd. All rights reserved. No part of this work may be reproduced or used in any form or by any means - graphic, electronic, or mechanical including photocopying, recording, taping, or information storage and retrieval systems - without written permission of Belzona International, Ltd. Belzona® is a registered trademark.

www.belzona.com



ISO 9001:2000
Q 09335
ISO 14001:2004
EMS 509612

Europe & Africa
Belzona Polymerics Ltd.
Harrogate, UK
t: +44 1423 567641
f: +44 1423 505967
e: belzona@belzona.co.uk

The Americas
Belzona Inc.
Miami, FL USA
t: +1 (305) 594-4994
f: +1 (305) 599-1140
e: belzona@belzona.com

Asia & Oceania
Belzona Asia Pacific
Chonburi, Thailand
t: +66 38 378099
f: +66 38 378098
e: belzona@belzona.cn

China
Belzona Hong Kong
Hong Kong, China
t: +852 3101 7461
f: +852 3101 7530
e: belzona@belzona.hk


BELZONA®
Repair • Protect • Improve