# Industrial Coating for Preventing Erosion-Corrosion and Maintaining Efficient Fluid Flow

Belzona® 1341 (Supermetalglide) is a two component high performance coating system for improving the efficiency of fluid handling systems and protection of metals from the effects of erosion-corrosion.


# Belzona® 1341 (Supermetalglide) will:

- Improve fluid flow efficiency
- Reduce the need for spare parts
- Protect against erosion-corrosion
- Extend equipment life

Belzona® 1341 (Supermetalglide) is a brush or spray applied coating that is suitable for contact with potable water. It is certified to ANSI/NSF Standard 61 and satisfies the UK Drinking Water Inspectorate requirements.







**Turbine Runners** 

# Applications for Belzona® 1341 (Supermetalglide) include:

- Pumps
- · Heat exchangers
- Water boxes
- Valves
- Pipes
- Water tanks
- Impellers
- Filters and strainers
- Turbine runners







# Belzona® 1341 (Supermetalglide) is:

# Simple

- · Brush or spray applied
- · Long working life after mixing
- Mix and use only what is needed

- Low temperature cure ensures no fire risk
- · Environmentally friendly
- Suitable for contact with potable water
- · Solvent free

### Versatile

- Over coating time up to 24 hours after application
- Use in water up to 60°c

### **Effective**

- · Outstanding adhesion
- · Excellent cavitation resilience
- · Exceptional chemical resistance
- Good abrasion properties
- Improved hydrodynamic performance









For further detailed information

Belzona® Product Specification Belzona® Instructions For Use Belzona® KNOW-HOWIn Action

# Belzona® 1341

Supermetalglide



Heat Exchangers

### **QUALITY PRODUCTS - TECHNICAL SUPPORT**

The Belzona® product range is manufactured through stringent quality and environmental control guidelines complying with the internationally recognised requirements of ISO 9001:2000 and ISO 14001:2004. Belzona® has a global distribution network of over 140 Distributors operating in 120 countries. Local support is provided by a trained Technical Consultant who will diagnose the problem, recommend the solution and provide 24 hour on-site application supervision and advice.

Copyright © 2008 by Belzona® International Ltd. All rights reserved. No part of this work covered by the copyrights hereon may be reproduced or used in any other form or by any means - graphic, electronic, or mechanical including photocopying, recording, taping, or information storage and retrieval systems - without permission of the publisher. Belzona® is a registered trademark

www.belzona.com



### Belzona® Polymerics Ltd.

Claro Road, Harrogate, HG1 4DS England Tel: +44 1423 567641 Fax: +44 1423 505967 belzona@belzona.co.uk

### Belzona® Inc.

2000 N.W. 88th Court, Miami, Florida 33172 U.S.A. Tel: +1 (305) 594-4994 Fax: +1 (305) 599-1140 belzona@belzona.com

Belzona® Asia Pacific. Rattakit Building, 29/13 Moo 9, Sukhumvit Road, Banglamung, Chonburi 20150, Thailand Tel: +66 38 378099 Fax: +66 38 378098 belzona@belzona.cn

